

1	<a href="#">Beta-lactams test strip</a>	96 Packing Size(test/box)	301-Eur	Wanger	
2	<a href="#">Beta-lactams and tetracyclines combo test strip</a>	96 Packing Size(test/box)	340-Eur	Wanger	
3	<a href="#">Cow pregnancy Test Strip</a>	20 Packing Size(test/box)	170-Eur	Wanger	
HA001	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.05ppb Sample animal tissue,egg,milk, honey</a>	1 kit	711-Eur	Wanger	elisa
HA001	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.05ppb, LOD 0.1ppb, Temperature 25 °C, Sample animal tissue,egg,milk, honey</a>		528-Eur	Wanger	
HA004	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb Sample fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA004	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb, LOD 0.1ppb, Temperature 25 °C, Sample fish and shrimp</a>		528-Eur	Wanger	
HA007	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb Sample animal tissue, fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA007	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb, LOD 0.1ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp</a>		528-Eur	Wanger	
HA008	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb Sample animal tissue,egg,milk, honey</a>	1 kit	711-Eur	Wanger	elisa
HA008	<a href="#">Nitrofurantoin AOZ ELISA kit Sensitivity 0.025ppb, LOD 0.1ppb, Temperature 25 °C, Sample animal tissue,egg,milk, honey</a>		528-Eur	Wanger	
HA011	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.1ppb Sample animal tissue,milk</a>	1 kit	711-Eur	Wanger	elisa
HA011	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.1ppb, LOD 0.2ppb, Temperature 25 °C, Sample animal tissue,milk</a>		528-Eur	Wanger	
HA012	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.1ppb Sample honey</a>	1 kit	711-Eur	Wanger	elisa
HA012	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.1ppb, LOD 0.2ppb, Temperature 25 °C, Sample honey</a>		528-Eur	Wanger	
HA013	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.05ppb Sample fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA013	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.05ppb, LOD 0.15ppb, Temperature 25 °C, Sample fish and shrimp</a>		528-Eur	Wanger	
HA014	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.05ppb</a>	1 kit	711-Eur	Wanger	elisa
HA014	<a href="#">Nitrofurantoin AMOZ ELISA kit Sensitivity 0.05ppb, LOD 0.1ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp</a>		528-Eur	Wanger	

HA025	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1ppb Sample animal tissue,</a>	1 kit	711-Eur	Wanger	elisa
HA025	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1ppb, LOD 0.1ppb, Temperature 4 -25 °C, Sample animal tissue,</a>		528-Eur	Wanger	
HA026	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.05ppb Sample fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA026	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.05ppb, LOD 0.2ppb, Temperature 4 -25 °C, Sample fish and shrimp</a>		528-Eur	Wanger	
HA027	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1ppb Sample honey</a>	1 kit	711-Eur	Wanger	elisa
HA027	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1ppb, LOD 0.1ppb, Temperature 4 -25 °C, Sample honey</a>		528-Eur	Wanger	
HA028	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.05 ppb Sample animal tissue, fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA028	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.05 ppb, LOD 0.1 ppb, Temperature 4 -25 °C, Sample animal tissue, fish and shrimp</a>		528-Eur	Wanger	
HA029	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1 ppb Sample milk</a>	1 kit	711-Eur	Wanger	elisa
HA029	<a href="#">Nitrofurantoin SEM ELISA kit Sensitivity 0.1 ppb, LOD 0.1 ppb, Temperature 4 -25 °C, Sample milk</a>		528-Eur	Wanger	
HA035	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.1ppb Sample fish and shrimp</a>	1 kit	711-Eur	Wanger	elisa
HA035	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.1ppb, LOD 0.3ppb, Temperature 25 °C, Sample fish and shrimp</a>		528-Eur	Wanger	
HA036	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.05ppb Sample honey</a>	1 kit	711-Eur	Wanger	elisa
HA036	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.05ppb, LOD 0.1ppb, Temperature 4 -25 °C, Sample honey</a>		528-Eur	Wanger	
HA037	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.05ppb Sample milk</a>	1 kit	711-Eur	Wanger	elisa
HA037	<a href="#">Nitrofurantoin AHD ELISA kit Sensitivity 0.05ppb, LOD 0.1ppb, Temperature 4 -25 °C, Sample milk</a>		528-Eur	Wanger	
HA041	<a href="#">Clenbuterol ELISA kit Sensitivity 0.1ppb Sample animal tissue,urine,feed, milk</a>	1 kit	569-Eur	Wanger	elisa
HA041	<a href="#">Clenbuterol ELISA kit Sensitivity 0.1ppb, LOD 0.4ppb, Temperature 25 °C, Sample animal tissue,urine,feed, milk</a>		337-Eur	Wanger	
HA045	<a href="#">Clenbuterol ELISA kit Sensitivity 0.025ppb Sample urine, muscle</a>	1 kit	569-Eur	Wanger	elisa
HA045	<a href="#">Clenbuterol ELISA kit Sensitivity 0.025ppb, LOD 0.025ppb, Temperature 25 °C, Sample urine, muscle</a>		337-Eur	Wanger	
HA055	<a href="#">Ractopamine ELISA kit Sensitivity 0.1ppb Sample urine,animal tissue, feed</a>	1 kit	569-Eur	Wanger	elisa

HA055	<u>Ractopamine ELISA kit Sensitivity 0.1ppb, LOD 1ppb, Temperature 25 °C, Sample urine, animal tissue, feed</u>		337-Eur	Wanger	
HA061	<u>Chloramphenicol ELISA kit Sensitivity 0.05ppb Sample animal tissue, urine, serum, casing, egg, milk powder, milk</u>	1 kit	569-Eur	Wanger	elisa
HA061	<u>Chloramphenicol ELISA kit Sensitivity 0.05ppb, LOD 0.05ppb, Temperature 25 °C, Sample animal tissue, urine, serum, casing, egg, milk powder, milk</u>		282-Eur	Wanger	
HA064	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb Sample honey, royal jelly</u>	1 kit	569-Eur	Wanger	elisa
HA064	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb, LOD 0.05ppb, Temperature 25 °C, Sample honey, royal jelly</u>		282-Eur	Wanger	
HA067	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb Sample fish and shrimp, animal tissue, feed, cooked meat, urine, serum, milk, milk powder</u>	1 kit	569-Eur	Wanger	elisa
HA067	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb, LOD 0.05ppb, Temperature 25 °C, Sample fish and shrimp, animal tissue, feed, cooked meat, urine, serum, milk, milk powder</u>		282-Eur	Wanger	
HA068	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb Sample fish and shrimp, animal tissue, feed, cooked meat, urine, serum, milk, milk powder</u>	1 kit	569-Eur	Wanger	elisa
HA068	<u>Chloramphenicol ELISA kit Sensitivity 0.025ppb, LOD 0.05ppb, Temperature 25 °C, Sample fish and shrimp, animal tissue, feed, cooked meat, urine, serum, milk, milk powder</u>		282-Eur	Wanger	
HA074	<u>Sarafloxacin ELISA kit Sensitivity 0.2ppb Sample fish and shrimp</u>	1 kit	569-Eur	Wanger	elisa
HA074	<u>Sarafloxacin ELISA kit Sensitivity 0.2ppb, LOD 0.4ppb, Temperature 25 °C, Sample fish and shrimp</u>		459-Eur	Wanger	
HA076	<u>Fluoroquinolones ELISA kit Sensitivity 0.1ppb Sample animal tissue, honey, fish and shrimp</u>	1 kit	569-Eur	Wanger	elisa
HA076	<u>Fluoroquinolones ELISA kit Sensitivity 0.1ppb, LOD 0.3-2ppb, Temperature 25 °C, Sample animal tissue, honey, fish and shrimp</u>		459-Eur	Wanger	
HA081	<u>Sulfonamides 7-in-1 ELISA kit Sensitivity 2ppb Sample animal tissue, fish and shrimp, serum, egg</u>	1 kit	569-Eur	Wanger	elisa
HA081	<u>Sulfonamides 7-in-1 ELISA kit Sensitivity 2ppb, LOD 4&amp;10ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp, serum, egg</u>		459-Eur	Wanger	
HA083	<u>Sulfonamides 7-in-1 ELISA kit Sensitivity 2ppb Sample milk</u>	1 kit	569-Eur	Wanger	elisa
HA083	<u>Sulfonamides 7-in-1 ELISA kit Sensitivity 2ppb, LOD 20ppb, Temperature 25 °C, Sample milk</u>		459-Eur	Wanger	

HA084	<a href="#">Sulfonamides 15-in-1 ELISA kit Sensitivity 1ppb Sample animal tissue,fish and shrimp,egg,feed</a>	1 kit	569-Eur	Wanger	elisa
HA084	<a href="#">Sulfonamides 15-in-1 ELISA kit Sensitivity 1ppb, LOD 1ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,egg,feed</a>		459-Eur	Wanger	
HA086	<a href="#">Sulfonamides 15-in-1 ELISA kit Sensitivity 1ppb Sample honey</a>	1 kit	569-Eur	Wanger	elisa
HA086	<a href="#">Sulfonamides 15-in-1 ELISA kit Sensitivity 1ppb, LOD 2ppb, Temperature 25 °C, Sample honey</a>		459-Eur	Wanger	
HA091	<a href="#">Sulfonamides 3-in-1 ELISA kit Sensitivity 1ppb Sample animal tissue,fish and shrimp,egg,honey, serum,milk</a>	1 kit	569-Eur	Wanger	elisa
HA091	<a href="#">Sulfonamides 3-in-1 ELISA kit Sensitivity 1ppb, LOD 2&amp;5&amp;10ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,egg,honey, serum,milk</a>		459-Eur	Wanger	
HA096	<a href="#">Sulphadimidine ELISA kit Sensitivity 1ppb Sample animal tissue,fish and shrimp,egg,honey, serum,urine</a>	1 kit	569-Eur	Wanger	elisa
HA096	<a href="#">Sulphadimidine ELISA kit Sensitivity 1ppb, LOD 2&amp;5&amp;10ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,egg,honey, serum,urine</a>		459-Eur	Wanger	
HA097	<a href="#">Sulphadimidine(SM2) ELISA kit Sensitivity 1ppb Sample milk</a>	1 kit	569-Eur	Wanger	elisa
HA097	<a href="#">Sulphadimidine(SM2) ELISA kit Sensitivity 1ppb, LOD 5-20ppb, Temperature 25 °C, Sample milk</a>		459-Eur	Wanger	
HA101	<a href="#">Sulfadimethoxine(SDM) ELISA kit Sensitivity 1ppb Sample animal tissue,fish and shrimp,egg,honey, serum,urine,milk</a>	1 kit	569-Eur	Wanger	elisa
HA101	<a href="#">Sulfadimethoxine(SDM) ELISA kit Sensitivity 1ppb, LOD 1ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,egg,honey, serum,urine,milk</a>		459-Eur	Wanger	
HA106	<a href="#">Sulfaquinoxaline(SQX) ELISA kit Sensitivity 1ppb Sample animal tissue,fish and shrimp,honey, serum,ruine, milk</a>	1 kit	569-Eur	Wanger	elisa
HA106	<a href="#">Sulfaquinoxaline(SQX) ELISA kit Sensitivity 1ppb, LOD 4&amp;5ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,honey, serum,ruine, milk</a>		459-Eur	Wanger	
HA111	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ppb Sample animal tissue,serum,</a>	1 kit	569-Eur	Wanger	elisa
HA111	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue,serum,</a>		459-Eur	Wanger	
HA114	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ng/ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa

HA114	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ng/ml, LOD 0.05-4.05ng/ml, Temperature 37 °C, Sample vaccine</a>		459-Eur	Wanger	
HA116	<a href="#">Avermectins ELISA kit Sensitivity 0.5ppb Sample animal tissue, fish and shrimp, vegetables</a>	1 kit	569-Eur	Wanger	elisa
HA116	<a href="#">Avermectins ELISA kit Sensitivity 0.5ppb, LOD 4ppb, Temperature 37 °C, Sample animal tissue, fish and shrimp, vegetables</a>		459-Eur	Wanger	
HA121	<a href="#">Apramycin ELISA kit Sensitivity 0.1ppb Sample animal tissue, liver</a>	1 kit	569-Eur	Wanger	elisa
HA121	<a href="#">Apramycin ELISA kit Sensitivity 0.1ppb, LOD 5ppb, Temperature 25 °C, Sample animal tissue, liver</a>		459-Eur	Wanger	
HA126	<a href="#">Ampicillin ELISA kit Sensitivity 0.2ppb Sample honey, animal tissue, live, milk, fish and shrimp</a>	1 kit	569-Eur	Wanger	elisa
HA126	<a href="#">Ampicillin ELISA kit Sensitivity 0.2ppb, LOD 4ppb, Temperature 25 °C, Sample honey, animal tissue, live, milk, fish and shrimp</a>		459-Eur	Wanger	
HA127	<a href="#">Ampicillin ELISA kit Sensitivity 0.2ng/ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa
HA127	<a href="#">Ampicillin ELISA kit Sensitivity 0.2ng/ml, LOD 0.2-16.2ng/ml, Temperature 25 °C, Sample vaccine</a>		459-Eur	Wanger	
HA131	<a href="#">Diazepam ELISA kit Sensitivity 0.1ppb Sample animal tissue, liver, urine, feed</a>	1 kit	569-Eur	Wanger	elisa
HA131	<a href="#">Diazepam ELISA kit Sensitivity 0.1ppb, LOD 1ppb, Temperature 25 °C, Sample animal tissue, liver, urine, feed</a>		459-Eur	Wanger	
HA136	<a href="#">Estridol ELISA kit Sensitivity 0.5ppb Sample animal tissue, liver, fish and shrimp, urine, feed</a>	1 kit	569-Eur	Wanger	elisa
HA136	<a href="#">Estridol ELISA kit Sensitivity 0.5ppb, LOD 5ppb, Temperature 25 °C, Sample animal tissue, liver, fish and shrimp, urine, feed</a>		459-Eur	Wanger	
HA137	<a href="#">Estridol ELISA kit Sensitivity 0.5ppb Sample milk, milk powder</a>	1 kit	569-Eur	Wanger	elisa
HA137	<a href="#">Estridol ELISA kit Sensitivity 0.5ppb, LOD 4ppb, Temperature 25 °C, Sample milk, milk powder</a>		459-Eur	Wanger	
HA141	<a href="#">Medroxyprogesterone acetate ELISA kit Sensitivity 0.1ppb Sample animal tissue, fish and shrimp, liver</a>	1 kit	569-Eur	Wanger	elisa
HA141	<a href="#">Medroxyprogesterone acetate ELISA kit Sensitivity 0.1ppb, LOD 1ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp, liver</a>		459-Eur	Wanger	
HA146	<a href="#">Spectinomycin ELISA kit Sensitivity 0.2ppb Sample fish and shrimp, animal tissue, liver</a>	1 kit	569-Eur	Wanger	elisa
HA146	<a href="#">Spectinomycin ELISA kit Sensitivity 0.2ppb, LOD 5ppb, Temperature 37 °C, Sample fish and shrimp, animal tissue, liver</a>		487-Eur	Wanger	
HA147	<a href="#">Spectinomycin ELISA kit Sensitivity 1ppb Sample milk</a>	1 kit	569-Eur	Wanger	elisa

HA147	<a href="#">Spectinomycin ELISA kit Sensitivity 1ppb, LOD 1ppb, Temperature 37 °C, Sample milk</a>		487-Eur	Wanger	
HA151	<a href="#">Enrofloxacin ELISA kit Sensitivity 0.5ppb Sample animal tissue,fish and shrimp,honey, serum,liver</a>	1 kit	569-Eur	Wanger	elisa
HA151	<a href="#">Enrofloxacin ELISA kit Sensitivity 0.5ppb, LOD 1&amp;20ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,honey, serum,liver</a>		459-Eur	Wanger	
HA156	<a href="#">Forfenicol amine ELISA kit Sensitivity 0.5ppb Sample animal tissue,fish and shrimp,liver,beef</a>	1 kit	569-Eur	Wanger	elisa
HA156	<a href="#">Forfenicol amine ELISA kit Sensitivity 0.5ppb, LOD 5ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,liver,beef</a>		459-Eur	Wanger	
HA157	<a href="#">Florfenicol ELISA kit Sensitivity 0.5ppb Sample animal tissue,fish and shrimp,feed</a>	1 kit	569-Eur	Wanger	elisa
HA157	<a href="#">Florfenicol ELISA kit Sensitivity 0.5ppb, LOD 0.25ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,feed</a>		459-Eur	Wanger	
HA161	<a href="#">Flumequine ELISA kit Sensitivity 0.3ppb Sample animal tissue,fish and shrimp,liver</a>	1 kit	569-Eur	Wanger	elisa
HA161	<a href="#">Flumequine ELISA kit Sensitivity 0.3ppb, LOD 0.15ppb, Temperature 25 °C, Sample animal tissue,fish and shrimp,liver</a>		459-Eur	Wanger	
HA166	<a href="#">Erythromycin ELISA kit Sensitivity 0.2ppb Sample animal tissue,fish and shrimp,liver,beef, milk, ice cream, cream, etc.</a>	1 kit	569-Eur	Wanger	elisa
HA166	<a href="#">Erythromycin ELISA kit Sensitivity 0.2ppb, LOD 5ppb, Temperature 37 °C, Sample animal tissue,fish and shrimp,liver,beef, milk, ice cream, cream, etc.</a>		459-Eur	Wanger	
HA172	<a href="#">Diethylstilbestrol ELISA kit Sensitivity 0.05ppb Sample fish and shrimp,feed</a>	1 kit	569-Eur	Wanger	elisa
HA172	<a href="#">Diethylstilbestrol ELISA kit Sensitivity 0.05ppb, LOD 0.3-2ppb, Temperature 37 °C, Sample fish and shrimp,feed</a>		459-Eur	Wanger	
HA173	<a href="#">Diethylstilbestrol ELISA kit Sensitivity 0.05ppb Sample milk</a>	1 kit	569-Eur	Wanger	elisa
HA173	<a href="#">Diethylstilbestrol ELISA kit Sensitivity 0.05ppb, LOD 0.7ppb, Temperature 37 °C, Sample milk</a>		459-Eur	Wanger	
HA176	<a href="#">Kanamycin ELISA kit Sensitivity 0.5ng/ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa
HA176	<a href="#">Kanamycin ELISA kit Sensitivity 0.5ng/ml, LOD 0.5-40.5ng/ml, Temperature 25 °C, Sample vaccine</a>		498-Eur	Wanger	
HA177	<a href="#">Kanamycin ELISA kit Sensitivity 0.5ppb Sample animal tissue,liver, milk</a>	1 kit	569-Eur	Wanger	elisa
HA177	<a href="#">Kanamycin ELISA kit Sensitivity 0.5ppb, LOD 10ppb, Temperature 25 °C, Sample animal tissue,liver, milk</a>		498-Eur	Wanger	

HA181	<a href="#">Spiramycin ELISA kit Sensitivity 0.2ppb Sample animal tissue,feed, liver</a>	1 kit	569-Eur	Wanger	elisa
HA181	<a href="#">Spiramycin ELISA kit Sensitivity 0.2ppb, LOD 8ppb, Temperature 25 °C, Sample animal tissue,feed, liver</a>		459-Eur	Wanger	
HA186	<a href="#">Maduramicin ELISA kit Sensitivity 0.5ppb Sample animal tissue,</a>	1 kit	569-Eur	Wanger	elisa
HA186	<a href="#">Maduramicin ELISA kit Sensitivity 0.5ppb, LOD 2&amp;20ppb, Temperature 37 °C, Sample animal tissue,</a>		459-Eur	Wanger	
HA191	<a href="#">Penicillin ELISA kit Sensitivity 0.1ppb Sample animal tissue,fish and shrimp,honey, milk, ice cream, cream, etc.</a>	1 kit	569-Eur	Wanger	elisa
HA191	<a href="#">Penicillin ELISA kit Sensitivity 0.1ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue,fish and shrimp,honey, milk, ice cream, cream, etc.</a>		459-Eur	Wanger	
HA192	<a href="#">Penicillin ELISA kit Sensitivity 0.1ng ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa
HA192	<a href="#">Penicillin ELISA kit Sensitivity 0.1ng ml, LOD 0.1-8.1ng ml, Temperature 37 °C, Sample vaccine</a>		459-Eur	Wanger	
HA196	<a href="#">Norethindrone ELISA kit Sensitivity 0.1ppb Sample animal tissue,liver,fish and shrimp,feed</a>	1 kit	569-Eur	Wanger	elisa
HA196	<a href="#">Norethindrone ELISA kit Sensitivity 0.1ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue,liver,fish and shrimp,feed</a>		459-Eur	Wanger	
HA201	<a href="#">Trenbolone ELISA kit Sensitivity 0.05ppb Sample animal tissue,fish and shrimp,urine,feed, liver</a>	1 kit	569-Eur	Wanger	elisa
HA201	<a href="#">Trenbolone ELISA kit Sensitivity 0.05ppb, LOD 2.5ppb, Temperature 37 °C, Sample animal tissue,fish and shrimp,urine,feed, liver</a>		459-Eur	Wanger	
HA206	<a href="#">Dicloxacillin ELISA kit Sensitivity 0.3ppb Sample animal tissue,honey</a>	1 kit	569-Eur	Wanger	elisa
HA206	<a href="#">Dicloxacillin ELISA kit Sensitivity 0.3ppb, LOD 1.5ppb, Temperature 37 °C, Sample animal tissue,honey</a>		432-Eur	Wanger	
HA207	<a href="#">Cloxacillin ELISA kit Sensitivity 0.3ppb Sample animal tissue,honey,milk</a>	1 kit	569-Eur	Wanger	elisa
HA207	<a href="#">Cloxacillin ELISA kit Sensitivity 0.3ppb, LOD 3ppb, Temperature 25 °C, Sample animal tissue,honey,milk</a>		432-Eur	Wanger	
HA208	<a href="#">Oxacillin ELISA kit Sensitivity 0.5ppb Sample animal tissue,milk</a>	1 kit	569-Eur	Wanger	elisa
HA208	<a href="#">Oxacillin ELISA kit Sensitivity 0.5ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue,milk</a>		432-Eur	Wanger	
HA211	<a href="#">Tetracyclines ELISA kit Sensitivity 0.3ppb Sample animal tissue,fish and shrimp,liver, honey, royal jelly, ice cream, cream, milk, etc</a>	1 kit	569-Eur	Wanger	elisa

HA211	<u><a href="#">Tetracyclines ELISA kit Sensitivity 0.3ppb, LOD 3-5ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp, liver, honey, royal jelly, ice cream, cream, milk, etc</a></u>		459-Eur	Wanger	
HA214	<u><a href="#">Tetracyclines ELISA kit Sensitivity 3ng/ml Sample vaccine</a></u>	1 kit	569-Eur	Wanger	elisa
HA214	<u><a href="#">Tetracyclines ELISA kit Sensitivity 3ng/ml, LOD 3-60ng/ml, Temperature 25 °C, Sample vaccine</a></u>		459-Eur	Wanger	
HA221	<u><a href="#">Tylosin ELISA kit Sensitivity 1.5ppb Sample animal tissue, liver, honey, milk</a></u>	1 kit	569-Eur	Wanger	elisa
HA221	<u><a href="#">Tylosin ELISA kit Sensitivity 1.5ppb, LOD 3-15ppb, Temperature 37 °C, Sample animal tissue, liver, honey, milk</a></u>		459-Eur	Wanger	
HA222	<u><a href="#">Tylosin ELISA kit Sensitivity 1.5ppb Sample honey</a></u>	1 kit	569-Eur	Wanger	elisa
HA222	<u><a href="#">Tylosin ELISA kit Sensitivity 1.5ppb, LOD 1.5ppb, Temperature 37 °C, Sample honey</a></u>		459-Eur	Wanger	
HA226	<u><a href="#">Cephalosporin ELISA kit Sensitivity 0.5ppb Sample milk, animal tissue, liver, fish and shrimp</a></u>	1 kit	569-Eur	Wanger	elisa
HA226	<u><a href="#">Cephalosporin ELISA kit Sensitivity 0.5ppb, LOD 2-5ppb, Temperature 4-25 °C, Sample milk, animal tissue, liver, fish and shrimp</a></u>		459-Eur	Wanger	
HA231	<u><a href="#">Salinomycin ELISA kit Sensitivity 1ppb Sample animal tissue, liver, egg</a></u>	1 kit	569-Eur	Wanger	elisa
HA231	<u><a href="#">Salinomycin ELISA kit Sensitivity 1ppb, LOD 5-20ppb, Temperature 25 °C, Sample animal tissue, liver, egg</a></u>		459-Eur	Wanger	
HA236	<u><a href="#">Zeranol ELISA kit Sensitivity 0.05ppb Sample feed, urine, milk, ice cream, cream</a></u>	1 kit	569-Eur	Wanger	elisa
HA236	<u><a href="#">Zeranol ELISA kit Sensitivity 0.05ppb, LOD 0.5-10ppb, Temperature 37 °C, Sample feed, urine, milk, ice cream, cream</a></u>		459-Eur	Wanger	
HA241	<u><a href="#">Colistin (Polymyxin E) ELISA kit Sensitivity 0.5ppb Sample chicken, liver</a></u>	1 kit	569-Eur	Wanger	elisa
HA241	<u><a href="#">0.5ppb, LOD 10ppb, Temperature 25 °C, Sample chicken, liver</a></u>		541-Eur	Wanger	
HA242	<u><a href="#">Colistin (Polymyxin E) ELISA kit Sensitivity 2ppb Sample milk</a></u>	1 kit	569-Eur	Wanger	elisa
HA242	<u><a href="#">Colistin (Polymyxin E) ELISA kit Sensitivity 2ppb, LOD 10ppb, Temperature 25 °C, Sample milk</a></u>		541-Eur	Wanger	
HA243	<u><a href="#">Colistin (Polymyxin E) ELISA kit Sensitivity 0.5ng/ml Sample vaccine</a></u>	1 kit	569-Eur	Wanger	elisa
HA243	<u><a href="#">Colistin (Polymyxin E) ELISA kit Sensitivity 0.5ng/ml, LOD 0-40.5ng/ml, Temperature 25 °C, Sample vaccine</a></u>		541-Eur	Wanger	



HA246	<a href="#">Lincomycin ELISA kit Sensitivity 0.2ppb Sample animal tissue,liver,fish and shrimp,honey, royal jelly</a>	1 kit	569-Eur	Wanger	elisa
HA246	<a href="#">Lincomycin ELISA kit Sensitivity 0.2ppb, LOD 4ppb, Temperature 25 °C, Sample animal tissue,liver,fish and shrimp,honey, royal jelly</a>		541-Eur	Wanger	
HA248	<a href="#">Lincomycin ELISA kit Sensitivity 0.2ppb Sample milk</a>	1 kit	569-Eur	Wanger	elisa
HA248	<a href="#">Lincomycin ELISA kit Sensitivity 0.2ppb, LOD 4ppb, Temperature 25 °C, Sample milk</a>		541-Eur	Wanger	
HA251	<a href="#">Gentamicin ELISA kit Sensitivity 0.1ppb Sample animal tissue,liver, milk, milk powder</a>	1 kit	569-Eur	Wanger	elisa
HA251	<a href="#">Gentamicin ELISA kit Sensitivity 0.1ppb, LOD 4ppb, Temperature 37 °C, Sample animal tissue,liver, milk, milk powder</a>		487-Eur	Wanger	
HA252	<a href="#">Gentamicin ELISA kit Sensitivity 0.1ng/ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa
HA252	<a href="#">Gentamicin ELISA kit Sensitivity 0.1ng/ml, LOD 0.1-8.1ng/ml, Temperature 37 °C, Sample vaccine</a>		487-Eur	Wanger	
HA256	<a href="#">Monensin ELISA kit Sensitivity 1ppb Sample animal tissue,liver</a>	1 kit	569-Eur	Wanger	elisa
HA256	<a href="#">Monensin ELISA kit Sensitivity 1ppb, LOD 3ppb, Temperature 37 °C, Sample animal tissue,liver</a>		487-Eur	Wanger	
HA261	<a href="#">Neomycin ELISA kit Sensitivity 0.5ppb Sample chicken</a>	1 kit	569-Eur	Wanger	elisa
HA261	<a href="#">Neomycin ELISA kit Sensitivity 0.5ppb, LOD 10ppb, Temperature 25 °C, Sample chicken</a>		487-Eur	Wanger	
HA262	<a href="#">Neomycin ELISA kit Sensitivity 0.5ng/ml Sample vaccine</a>	1 kit	569-Eur	Wanger	elisa
HA262	<a href="#">Neomycin ELISA kit Sensitivity 0.5ng/ml, LOD 0.5-40.5ng/ml, Temperature 25 °C, Sample vaccine</a>		487-Eur	Wanger	
HA266	<a href="#">19-Nortestosterone ELISA kit Sensitivity 0.1ppb Sample animal tissue,feed</a>	1 kit	569-Eur	Wanger	elisa
HA266	<a href="#">19-Nortestosterone ELISA kit Sensitivity 0.1ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue,feed</a>		487-Eur	Wanger	
HA271	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.1ppb Sample honey</a>	1 kit	569-Eur	Wanger	elisa
HA271	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.1ppb, LOD 0.2ppb, Temperature 4-25 °C, Sample honey</a>		555-Eur	Wanger	
HA272	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.05ppb Sample honey</a>	1 kit	569-Eur	Wanger	elisa
HA272	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.05ppb, LOD 0.1-0.2ppb, Temperature 4-25 °C, Sample honey</a>		555-Eur	Wanger	
HA273	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.05ppb Sample animal tissue</a>	1 kit	569-Eur	Wanger	elisa

HA273	<a href="#">Nitroimidazoles ELISA kit Sensitivity 0.05ppb, LOD 0.1ppb, Temperature 4-25 °C, Sample animal tissue</a>		555-Eur	Wanger	
HA276	<a href="#">Sulfamethoxazole ELISA kit Sensitivity 0.2ppb Sample animal tissue, fish and shrimp, liver</a>	1 kit	569-Eur	Wanger	elisa
HA276	<a href="#">Sulfamethoxazole ELISA kit Sensitivity 0.2ppb, LOD 0.5ppb, Temperature 25 °C, Sample animal tissue, fish and shrimp, liver</a>		487-Eur	Wanger	
HA281	<a href="#">Tiamulin ELISA kit Sensitivity 3ppb Sample animal tissue (chick, pork)</a>	1 kit	569-Eur	Wanger	elisa
HA281	<a href="#">Tiamulin ELISA kit Sensitivity 3ppb, LOD 2ppb, Temperature 37 °C, Sample animal tissue (chick, pork)</a>		487-Eur	Wanger	
HA286	<a href="#">Salbutamol ELISA kit Sensitivity 0.2ppb Sample animal tissue, urine, feed</a>	1 kit	569-Eur	Wanger	elisa
HA286	<a href="#">Salbutamol ELISA kit Sensitivity 0.2ppb, LOD 0.3-10ppb, Temperature 25 °C, Sample animal tissue, urine, feed</a>		487-Eur	Wanger	
HA307	<a href="#">Melamine ELISA kit Sensitivity 1ppb Sample milk, milk powder, feed, animal tissue, egg</a>	1 kit	569-Eur	Wanger	elisa
HA307	<a href="#">Melamine ELISA kit Sensitivity 1ppb, LOD 20-100ppb, Temperature 25 °C, Sample milk, milk powder, feed, animal tissue, egg</a>		487-Eur	Wanger	
HA322	<a href="#">Trimethoprim ELISA kit Sensitivity 0.5ppb Sample honey</a>	1 kit	569-Eur	Wanger	elisa
HA322	<a href="#">Trimethoprim ELISA kit Sensitivity 0.5ppb, LOD 2 ppb, Temperature 25 °C, Sample honey</a>		498-Eur	Wanger	
HA331	<a href="#">Aflatoxin B1 ELISA kit Sensitivity 0.15ppb Sample feed</a>	1 kit	569-Eur	Wanger	elisa
HA331	<a href="#">Aflatoxin B1 ELISA kit Sensitivity 0.15ppb, LOD 3ppb, Temperature 37 °C, Sample feed</a>		378-Eur	Wanger	
HA336	<a href="#">Aminophenazone ELISA kit Sensitivity 1ppb Sample chicken liver, pig liver</a>	1 kit	569-Eur	Wanger	elisa
HA336	<a href="#">Aminophenazone ELISA kit Sensitivity 1ppb, LOD 4ppb, Temperature 25 °C, Sample chicken liver, pig liver</a>		487-Eur	Wanger	
HA351	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ppb Sample honey, royal jelly</a>	1 kit	569-Eur	Wanger	elisa
HA351	<a href="#">Streptomycin ELISA kit Sensitivity 0.05ppb, LOD 2ppb, Temperature 37 °C, Sample honey, royal jelly</a>		487-Eur	Wanger	
HA381	<a href="#">Nitrofurans ELISA kit Sensitivity 0.1ppb Sample feed, veterinary drugs</a>	1 kit	569-Eur	Wanger	elisa
HA381	<a href="#">Nitrofurans ELISA kit Sensitivity 0.1ppb, LOD 1ppb &amp; 10ppb, Temperature 4 °C -25 °C, Sample feed, veterinary drugs</a>		487-Eur	Wanger	
HA391	<a href="#">chlorpromazine ELISA kit Sensitivity 0.05ppb Sample feed, animal tissue,</a>	1 kit	569-Eur	Wanger	elisa

HA391	<u><a href="#">chlorpromazine ELISA kit Sensitivity 0.05ppb, LOD 0.2 ppb, Temperature 25 °C, Sample feed, animal tissue,</a></u>		514-Eur	Wanger	
HA392	<u><a href="#">chlorpromazine ELISA kit Sensitivity 0.05ppb Sample feed</a></u>	1 kit	569-Eur	Wanger	elisa
HA392	<u><a href="#">chlorpromazine ELISA kit Sensitivity 0.05ppb, LOD 9 ppb, Temperature 25 °C, Sample feed</a></u>		514-Eur	Wanger	
HA401	<u><a href="#">Dinitolmide ELISA kit Sensitivity 1ppb Sample animal tissue,liver,feed</a></u>	1 kit	569-Eur	Wanger	elisa
HA401	<u><a href="#">Dinitolmide ELISA kit Sensitivity 1ppb, LOD 4 ppb&amp;16 ppb, Temperature 25 °C, Sample animal tissue,liver,feed</a></u>		582-Eur	Wanger	
HA411	<u><a href="#">Tilmicosin ELISA kit Sensitivity 0.5ppb Sample animal tissue,liver,honey,egg,milk,fish and shrimp</a></u>	1 kit	569-Eur	Wanger	elisa
HA411	<u><a href="#">Tilmicosin ELISA kit Sensitivity 0.5ppb, LOD 1ppb, Temperature 25 °C, Sample animal tissue,liver,honey,egg,milk,fish and shrimp</a></u>		514-Eur	Wanger	
HB001	<u><a href="#">Clenbuterol 40 Tests LOD 3ppb Samples urine</a></u>	1 kit	94-Eur	Wanger	assays
HB001	<u><a href="#">Clenbuterol Rapid Test Strips, Samples urine</a></u>	40T	186-Eur	Wanger	
HB002	<u><a href="#">Clenbuterol 40 Tests LOD 5ppb Samples animal tissue</a></u>	1 kit	94-Eur	Wanger	assays
HB002	<u><a href="#">Clenbuterol Rapid Test Strips, Samples animal tissue</a></u>	40T	186-Eur	Wanger	
HB005	<u><a href="#">Clenbuterol 40 Tests LOD 3ppb Samples sheep &amp; bovine urine</a></u>	1 kit	94-Eur	Wanger	assays
HB005	<u><a href="#">Clenbuterol Rapid Test Strips, Samples sheep &amp; bovine urine</a></u>	40T	186-Eur	Wanger	
HB006	<u><a href="#">Ractopamine 40 Tests LOD 5ppb Samples urine</a></u>	1 kit	94-Eur	Wanger	assays
HB006	<u><a href="#">Ractopamine Rapid Test Strips, Samples urine</a></u>	40T	186-Eur	Wanger	
HB007	<u><a href="#">Ractopamine 40 Tests LOD 3ppb Samples serum</a></u>	1 kit	94-Eur	Wanger	assays
HB007	<u><a href="#">Ractopamine Rapid Test Strips, Samples serum</a></u>	40T	186-Eur	Wanger	
HB008	<u><a href="#">Ractopamine 40 Tests LOD 10ppb Samples animal tissue</a></u>	1 kit	94-Eur	Wanger	assays
HB008	<u><a href="#">Ractopamine Rapid Test Strips, Samples animal tissue</a></u>	40T	186-Eur	Wanger	
HB009	<u><a href="#">Ractopamine 40 Tests LOD 20ppb Samples urine, animal tissue</a></u>	1 kit	94-Eur	Wanger	assays
HB009	<u><a href="#">Ractopamine Rapid Test Strips, Samples urine, animal tissue</a></u>	40T	186-Eur	Wanger	
HB011	<u><a href="#">Melamine 40 Tests LOD 500ppb Samples milk</a></u>	1 kit	94-Eur	Wanger	assays
HB011	<u><a href="#">Melamine Rapid Test Strips, Samples milk</a></u>	40T	186-Eur	Wanger	
HB014	<u><a href="#">Melamine 20 Tests LOD 2ìg Samples feed</a></u>	1 kit	47-Eur	Wanger	assays

HB014	<a href="#">Melamine Rapid Test Strips, Samples feed</a>	20T	145-Eur	Wanger	
HB015	<a href="#">Melamine 20 Tests LOD 2ìg Samples feed</a>	1 kit	47-Eur	Wanger	assays
HB015	<a href="#">Melamine Rapid Test Strips, Samples feed</a>	20T	145-Eur	Wanger	
HB016	<a href="#">Sulfonamides 20 Tests LOD 10-20ppb Samples honey</a>	1 kit	47-Eur	Wanger	assays
HB016	<a href="#">Sulfonamides Rapid Test Strips, Samples honey</a>	20T	145-Eur	Wanger	
HB018	<a href="#">Sulfonamides 40 Tests LOD 60-100ppb Samples chicken, pork</a>	1 kit	94-Eur	Wanger	assays
HB018	<a href="#">Sulfonamides Rapid Test Strips, Samples chicken, pork</a>	40T	186-Eur	Wanger	
HB019	<a href="#">Melamine 40 Tests LOD 1ìg Samples animal tissue, egg</a>	1 kit	94-Eur	Wanger	assays
HB019	<a href="#">Melamine Rapid Test Strips, Samples animal tissue, egg</a>	40T	186-Eur	Wanger	
HB020	<a href="#">Melamine 40 Tests LOD 1ìg Samples milk powder</a>	1 kit	94-Eur	Wanger	assays
HB020	<a href="#">Melamine Rapid Test Strips, Samples milk powder</a>	40T	186-Eur	Wanger	
HB022	<a href="#">Clenbuterol 40 Tests LOD 15ppb Samples feed</a>	1 kit	94-Eur	Wanger	assays
HB022	<a href="#">Clenbuterol Rapid Test Strips, Samples feed</a>	40T	186-Eur	Wanger	
HB024	<a href="#">Clenbuterol 96 Tests LOD 1 ppb Samples serum</a>	1 kit	237-Eur	Wanger	elisa
HB024	<a href="#">Clenbuterol Rapid Test Strips, Samples serum</a>	96T	309-Eur	Wanger	
HB025	<a href="#">Clenbuterol 40 Tests LOD 2ppb Samples urine</a>	1 kit	94-Eur	Wanger	assays
HB025	<a href="#">Clenbuterol Rapid Test Strips, Samples urine</a>	40T	186-Eur	Wanger	
HB026	<a href="#">Clenbuterol 40 Tests LOD 2ppb Samples urine</a>	1 kit	94-Eur	Wanger	assays
HB026	<a href="#">Clenbuterol Rapid Test Strips, Samples urine</a>	40T	186-Eur	Wanger	
HB0308	<a href="#">Melamine 40 Tests LOD 200ppb Samples milk</a>	1 kit	94-Eur	Wanger	assays
HB0308	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	40T	186-Eur	Wanger	
HB041	<a href="#">Quinolones 40 Tests LOD 20-30ppb Samples honey</a>	1 kit	94-Eur	Wanger	assays
HB041	<a href="#">Quinolones Rapid Test Strips, Samples honey</a>	40T	186-Eur	Wanger	
HB042	<a href="#">Quinolones 40 Tests LOD 20-30ppb Samples animal tissue</a>	1 kit	94-Eur	Wanger	assays
HB042	<a href="#">Quinolones Rapid Test Strips, Samples animal tissue</a>	40T	186-Eur	Wanger	
HB044	<a href="#">Quinolones 96 Tests LOD 20-40ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB044	<a href="#">Quinolones Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB045	<a href="#">Quinolones 96 Tests LOD 20-40ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB045	<a href="#">Quinolones Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	

HB051	<a href="#">Salbutamol 96 Tests LOD 20-40ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB051	<a href="#">Salbutamol Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB052	<a href="#">Salbutamol 96 Tests LOD 20-40ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB052	<a href="#">Salbutamol Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB053	<a href="#">Salbutamol 96 Tests LOD 20-40ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB053	<a href="#">Salbutamol Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB061	<a href="#">Melamine 40 Tests LOD 100ppb Samples milk</a>	1 kit	94-Eur	Wanger	assays
HB061	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	40T	186-Eur	Wanger	
HB062	<a href="#">Melamine 40 Tests LOD 500ppb Samples milk powder</a>	1 kit	94-Eur	Wanger	assays
HB062	<a href="#">Melamine Rapid Test Strips, Samples milk powder</a>	40T	186-Eur	Wanger	
HB063	<a href="#">Melamine 40 Tests LOD 50ppb Samples milk</a>	1 kit	94-Eur	Wanger	assays
HB063	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	40T	186-Eur	Wanger	
HB064	<a href="#">Melamine 50 Tests LOD 100ppb Samples milk</a>	1 kit	118-Eur	Wanger	assays
HB064	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	50T	207-Eur	Wanger	
HB065	<a href="#">Melamine 96 Tests LOD 100ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB065	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB066	<a href="#">Melamine 40 Tests LOD 300ppb Samples milk</a>	1 kit	94-Eur	Wanger	assays
HB066	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	40 T	186-Eur	Wanger	
HB067	<a href="#">Melamine 40 Tests LOD 300ppb Samples milk</a>	1 kit	94-Eur	Wanger	assays
HB067	<a href="#">Melamine Rapid Test Strips, Samples milk</a>	40 T	186-Eur	Wanger	
HB081	<a href="#"><math>\hat{\alpha}</math>-lactams 96 Tests LOD 4ul L Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB081	<a href="#"><math>\beta</math>-lactams Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB091	<a href="#">Lincomycin 96 Tests LOD 20ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB091	<a href="#">Lincomycin Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	
HB101	<a href="#">Ractopamine 40 Tests LOD 20ppb Samples feed</a>	1 kit	94-Eur	Wanger	assays
HB101	<a href="#">Ractopamine Rapid Test Strips, Samples feed</a>	40T	186-Eur	Wanger	
HB102	<a href="#">Ractopamine 40 Tests LOD 20ppb Samples feed</a>	1 kit	94-Eur	Wanger	assays
HB102	<a href="#">Ractopamine Rapid Test Strips, Samples feed</a>	40T	186-Eur	Wanger	
HB111	<a href="#">Gentamicin 96 Tests LOD 20ppb Samples milk</a>	1 kit	237-Eur	Wanger	elisa
HB111	<a href="#">Gentamicin Rapid Test Strips, Samples milk</a>	96T	309-Eur	Wanger	